

TECHNICAL SPECIFICATIONS

CLINC!!

STAGE

0% slope

Minimum width 8 m

Minimum depth 8 m

- ▶ Black box masking, Italian style
- ▶ 1 table for props
- ▶ Water tap near the stage (if possible)

CARPET

The theatre will place a light grey trade-fair-type carpet on the stage, measuring 6 x 6 metres. It will also provide doubled-faced Scotch tape and Scotch tape black or grey.

LIGHTING

36 dimmer channels (2000 W)
21 PC 1 Kw (complete)
14 PAR 64 (cp-62)
3 PAR 64 (cp-61)
10 PROFILE 25° / 50° 1 Kw
2 Side lighting (3 m. height)
3 direct lines to the stage
1 lighting control console (the Company's)

SOUND

Sound system adequate for the theatre (minimum 1000 W)
2 sidefields (behind side masking) on the stage
1 four-channel sound console
2 CD player with auto-pause
All wiring needed

SOUND AND LIGHTING BOARD MUST BE TOGETHER, INSIDE THE CABIN AS WELL AS THE STALLS (ORCHESTRA) AND WILL HAVE TO HAVE A GOOD VIEW OF THE STAGE.

DRESSING ROOMS

Two dressing rooms with:

- Toilets
- Showers
- Table with mirror
- Chairs
- Hangers for wardrobe
- 3 *towels*
- Still mineral water available when the Company arrives.

TECHNICAL PERSONNEL

2 people for loading and unloading
1 electrician
1 machinist
1 sound technician

SETUP TIME

- ▶ **5 hours with lights set up before the company arrives.**

TECHNICAL CONTACT
Mon Feijóo +34 654178839
Office +34 938444555
pepbou@pepbou.com